



Stainless Steel Chain



T-304 Stainless Steel Chain

Nominal Dimension Inside Link

Item #	Trade Size In Inches	Wire Diameter In Inches	Length Inches	Width Inches	Weight per 100 Ft. Lbs.	Working Load Limit In Lbs.	Feet Per Package
15002	3/16	0.218	0.94	0.40	41	830	800
15003	1/4	0.276	1.24	0.47	64	1450	400
15004	5/16	0.315	1.28	0.50	84	2200	275
15005	3/8	0.394	1.38	0.57	138	3000	200
15007	1/2	0.531	1.54	0.79	278	4600	100

Uses - T-304 stainless steel chain is used in food processing around marine application and wherever corrosion resistant chain is needed.

Nominal weights and dimensions are subject to a plus or minus tolerance of 4%.

Caution: Do not use for overhead lifting. Working load limit must not be exceeded.



T-316 Stainless Steel Chain

Nominal Dimension Inside Link

Item #	Trade Size In Inches	Wire Diameter In Inches	Length Inches	Width Inches	Weight per 100 Ft. Lbs.	Working Load Limit In Lbs.	Feet Per Package
15041	1/8	0.157	0.78	0.29	18	375	1000
15042	3/16	0.218	0.94	0.40	41	830	800
15043	1/4	0.276	1.24	0.47	64	1450	400
15044	5/16	0.315	1.28	0.50	84	2200	275
15045	3/8	0.394	1.38	0.57	138	3000	200
15047	1/2	0.531	1.54	0.79	278	4600	100

Uses - T-316 is designed for use in the textile, paper, and chemical industries.

Nominal weights and dimensions are subject to a plus or minus tolerance of 4%.

Caution: Do not use for overhead lifting. Working load limit must not be exceeded.